## Washington State HIV/AIDS Surveillance Report - 07/31/2006 Washington State Department of Health

Table 1. HIV1 and AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING

			(& CASE I		,	DEATHS OC		CASES PRESUMED LIVING DIAGNOSED DURING INTERVAL					
Year <sup>5</sup>	H No.	IIV <sup>1</sup> (%)	A No.	IDS (%)	HIV/AIDS Total	HIV 1 No.	AIDS No.	HIV 1 No.	AIDS No.	HIV/AIDS Total			
1982	2	0%	1	(100%)	3	0	0	2	0	2			
1983	4	(25%)	20	(100%)	24	0	7	3	0	3			
1984	8	0%	79	(97%)	87	0	31	8	2	10			
1985	62	(11%)	132	(98%)	194	0	81	55	3	58			
1986	55	(13%)	245	(98%)	300	0	126	48	5	53			
1987	61	(16%)	370	(96%)	431	2	188	51	15	66			
1988	78	(15%)	493	(94%)	571	5	236	66	28	94			
1989	99	(15%)	611	(92%)	710	7	309	84	49	133			
1990	117	(15%)	733	(91%)	850	6	371	99	63	162			
1991	135	(13%)	835	(88%)	970	4	461	118	98	216			
1992	121	(12%)	897	(79%)	1,018	6	515	107	185	292			
1993	99	(9%)	943	(72%)	1,042	12	617	90	268	358			
1994	162	(6%)	853	(60%)	1,015	7	676	152	344	496			
1995	174	(5%)	754	(43%)	928	4	665	165	430	595			
1996	213	(6%)	661	(30%)	874	3	495	201	465	666			
1997	222	(5%)	511	(23%)	733	9	226	211	395	606			
1998	215	(2%)	385	(25%)	600	5	167	210	288	498			
1999	265	(2%)	351	(25%)	616	6	137	259	265	524			
2000	333	(4%)	431	(21%)	764	30	165	320	342	662			
2001	306	(1%)	387	(16%)	693	20	153	302	325	627			
2002	302	(2%)	414	(13%)	716	17	157	295	361	656			
2003	318	(1%)	421	(11%)	739	27	184	316	376	692			
2004	321	0%	405	(8%)	726	6	153	321	371	692			
2004 2005 2006	378 177	(1%) (1%)	412 165	(6%) (6%) (1%)	790 342	13 5	132 29	374 176	387 163	761 339			
TOTAL	4,227	(5%)	11,509	(55%)	15,736	194	6,281	4,033	5,228	9,261			

Table 2. HIV1 and AIDS CASES, GENDER BY AGE AT DIAGNOSIS

			H	HIV 1		AIDS									
	Male		Female		Т	otal		Male	Fem	ale	Т	otal			
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)			
0-12	19	0%	20	0%	39	(1%)	15	0%	17	0%	32	0%			
13-19	64	(2%)	35	(1%)	99	(2%)	34	0%	13	0%	47	0%			
20-29	1,139	(27%)	231	(5%)	1,370	(32%)	1,678	(15%)	237	(2%)	1,915	(17%)			
30-39	1,470	(35%)	184	(4%)	1,654	(39%)	4,803	(42%)	397	(3%)	5,200	(45%)			
40-49	720	(17%)	108	(3%)	828	(20%)	2,834	(25%)	239	(2%)	3,073	(27%)			
50-59	173	(4%)	32	(1%)	205	(5%)	850	(7%)	100	(1%)	950	(8%)			
60+	28	(1%)	4	0%	32	(1%)	254	(2%)	38	0%	292	(3%)			
TOTAL	3,613	(85%)	614	(15%)	4,227	(100%)	10,468	(91%)	1,041	(9%)	11,509	(100%)			

### Notes:

<sup>1</sup> Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

<sup>2</sup> Case fatality rate is the proportion of HIV or AIDS patients diagnosed during interval who are known to have died at some time since diagnosis.

<sup>3</sup> Year of diagnosis reflects the time at which HIV infection or AIDS was diagnosed by a health care provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health.

<sup>4</sup> Includes deaths among HIV or AIDS patients diagnosed during that interval or any preceding interval.

<sup>5</sup> Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

# Washington State HIV/AIDS Surveillance Report - 07/31/2006 Washington State Department of Health

Tables 3. HIV1 CASES, RACE/ETHNICITY 10 AND EXPOSURE CATEGORY 6

		Adult/Ac	lolescent		Ped	<u>iatric</u>	Ī	<u>otal</u>
	Male	(%)	Female	(%)	No.	(%)	No.	(%)
Race/Ethnicity								
White, not Hispanic	2,695	(75%)	300	(51%)	11	(28%)	3,006	(71%)
Black, not Hispanic	418	(12%)	192	(32%)	19	(48%)	629	(15%)
Hispanic (All Races)	299	(8%)	54	(9%)	6	(15%)	359	(8%)
Asian/Pacific Islander	2	0%	4	(1%)	0	0%	6	0%
Asian	85	(2%)	12	(2%)	4	(10%)	101	(2%)
Hawaiian/Pacific Islander	8	0%	1	0%	0	0%	9	0%
Native American/Alaskan	34	(1%)	26	(4%)	0	0%	60	(1%)
Multi-race	18	(1%)	2	0%	0	0%	20	0%
Unknown	34	(1%)	3	(1%)	0	0%	37	(1%)
Total	3,593	(100%)	594	(100%)	40	(100%)	4,227	(100%)
Exposure Category								
Male/male sex (MSM)	2,661	(74%)	0	0%	0	0%	2,661	(63%)
Injecting Drug Use (IDU)	233	(6%)	142	(24%)	0	0%	375	(9%)
MSM and IDU	337	(9%)	0	0%	0	0%	337	(8%)
Transfusion/Transplant	8	0%	10	(2%)	0	0%	18	0%
Hemophilia	9	0%	1	0%	1	(3%)	11	0%
Heterosexual Contact	126	(4%)	291	(49%)	0	0%	417	(10%)
Mother at Risk for HIV	0	0%	0	0%	34	(85%)	34	(1%)
No Identified Risk/Other	219	(6%)	150	(25%)	5	(13%)	374	(9%)
Total	3,593	(100%)	594	(100%)	40	(100%)	4,227	(100%)

Tables 4. AIDS CASES, RACE/ETHNICITY<sup>10</sup> AND EXPOSURE CATEGORY<sup>6</sup>

		Adult/Ad	dolescent		Pedi	atric	<u>T</u>	<u>otal</u>
	Male	(%)	Female	(%)	No.	(%)	No.	(%)
Race/Ethnicity								
White, not Hispanic	8,285	(79%)	552	(54%)	15	(47%)	8,852	(77%)
Black, not Hispanic	1,016	(10%)	283	(28%)	10	(31%)	1,309	(11%)
Hispanic (All Races)	760	(7%)	91	(9%)	4	(13%)	855	(7%)
Asian/Pacific Islander	31	0%	13	(1%)	1	(3%)	45	0%
Asian	135	(1%)	18	(2%)	0	0%	153	(1%)
Hawaiian/Pacific Islander	21	0%	8	(1%)	0	0%	29	0%
Native American/Alaskan	160	(2%)	52	(5%)	1	(3%)	213	(2%)
Multi-race	35	` 0%	5	` 0%	1	(3%)	41	0%
Unknown	10	0%	2	0%	0	0%	12	0%
Total	10,453	(100%)	1,024	(100%)	32	(100%)	11,509	(100%)
Exposure Category								
Male/male sex (MSM)	7,572	(72%)	0	0%	0	0%	7,572	(66%)
Injecting Drug Use (IDU)	753	(7%)	295	(29%)	0	0%	1,048	(9%)
MSM and IDU	1,147	(11%)	0	0%	0	0%	1,147	(10%)
Transfusion/Transplant	73	(1%)	53	(5%)	0	0%	126	(1%)
Hemophilia .	83	(1%)	4	` 0%	4	(13%)	91	(1%)
Heterosexual Contact	309	(3%)	508	(50%)	0	` 0%	817	(7%)
Mother at Risk for HIV	1	` 0%	0	` 0%	28	(88%)	29	` 0%
No Identified Risk/Other	515	(5%)	164	(16%)	0	` 0%	679	(6%)
Total	10,453	(100%)	1,024	(100%)	32	(100%)	11,509	(100%)

### Notes

<sup>1</sup> Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

<sup>6 &</sup>lt;u>Heterosexual Contact</u> refers to contact with a person who is known to be HIV infected or at increased risk for HIV infection No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

### Washington State HIV/AIDS Surveillance Report - 07/31/2006 Washington State Department of Health

Table 5. HIV1 AND AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING, BY COUNTY OF RESIDENCE 8 AT DIAGNOSIS

		CAS	SES DIAC	GNOSED			DEA	THS			PRE	SUMED L	.IVING	
	ŀ	HIV 1		AIDS F	HIV/AIDS		HIV 1		AIDS		HIV 1	Al	DS	HIV/AIDS
	No.	(%)	No.	(%)	Total	No.	(%)	No.	(%)	No.	(%)	No.	(%)	Total
Region 1	171	(4.0%)	645	(5.6%)	816	13	(6.7%)	353	(5.6%)	158	(3.9%)	292	(5.6%)	450
ADAMS CO.	1	0.0%	5	0.0%	6	0	0.0%	1	0.0%	1	0.0%	4	(0.1%)	5
ASOTIN CO.	4	(0.1%)	16	(0.1%)	20	1	(0.5%)	6	(0.1%)	3	(0.1%)	10	(0.2%)	13
COLUMBIA CO.	1	0.0%	4	0.0%	5	1	(0.5%)	3	0.0%	0	0.0%	1	0.0%	
FERRY CO.	0	0.0%	7	(0.1%)	7	0	0.0%	6	(0.1%)	0	0.0%	1	0.0%	1
GARFIELD CO. LINCOLN CO.	0	0.0% 0.0%	0 4	0.0% 0.0%	1 4	0	0.0% 0.0%	0 2	0.0% 0.0%	1 0	0.0% 0.0%	0 2	0.0% 0.0%	1 2
OKANOGAN CO.	7	(0.2%)	26	(0.2%)	33	I 0	0.0%	9	(0.1%)	7	(0.2%)	17	(0.3%)	24
PEND OREILLE CO.	0	0.0%	8	(0.1%)	8	I 0	0.0%	5	(0.1%)	Ó	0.0%	3	(0.1%)	3
SPOKANE CO.	143	(3.4%)	488	(4.2%)	631	10	(5.2%)	279	(4.4%)	133	(3.3%)	209	(4.0%)	342
STEVENS CO.	6	(0.1%)	19	(0.2%)	25	0	0.0%	10	(0.2%)	6	(0.1%)	9	(0.2%)	15
WALLA WALLA CO.	7	(0.2%)	53	(0.5%)	60	1	(0.5%)	28	(0.4%)	6	(0.1%)	25	(0.5%)	31
WHITMAN CO.	1	0.0%	15	(0.1%)	16	0	0.0%	4	(0.1%)	1	0.0%	11	(0.2%)	12
Region 2	134	(3.2%)	394	(3.4%)	528	7	(3.6%)	188	(3.0%)	127	(3.1%)	206	(3.9%)	333
BENTON CO.	27	(0.6%)	81	(0.7%)	108	1	(0.5%)	37	(0.6%)	26	(0.6%)	44	(0.8%)	70
CHELAN CO.	16	(0.4%)	37	(0.3%)	53	1	(0.5%)	22	(0.4%)	15	(0.4%)	15	(0.3%)	30
DOUGLAS CO.	2	0.0%	2	0.0%	4	0	0.0%	2	0.0%	2	0.0%	0	0.0%	2
FRANKLIN CO.	20	(0.5%)	49	(0.4%)	69	1	(0.5%)	16	(0.3%)	19	(0.5%)	33	(0.6%)	52
GRANT CO.	10	(0.2%)	32	(0.3%)	42	1	(0.5%)	19	(0.3%)	9	(0.2%)	13	(0.2%)	22
KITTITAS CO.	4	(0.1%)	18	(0.2%)	22	0	0.0%	9	(0.1%)	4	(0.1%)	9	(0.2%)	13
KLICKITAT CO.	5	(0.1%)	9	(0.1%)	14	0	0.0%	6	(0.1%)	5	(0.1%)	3	(0.1%)	8
YAKIMA CO.	50	(1.2%)	166	(1.4%)	216	3	(1.5%)	77	(1.2%)	47	(1.2%)	89	(1.7%)	136
Region 3	324	(7.7%)	942	(8.2%)	1,266	22	(11.3%)	472	(7.5%)	302	(7.5%)	470	(9.0%)	772
ISLAND CO.	15	(0.4%)	58	(0.5%)	73	1	(0.5%)	33	(0.5%)	14	(0.3%)	25	(0.5%)	39
SAN JUAN CO.	7	(0.2%)	18	(0.2%)	25	1	(0.5%)	10	(0.2%)	6	(0.1%)	8	(0.2%)	14
SKAGIT CO.	25	(0.6%)	60	(0.5%)	85	3	(1.5%)	33	(0.5%)	22	(0.5%)	27	(0.5%)	49
SNOHOMISH CO.	223	(5.3%)	654	(5.7%)	877	14	(7.2%)	317	(5.0%)	209	(5.2%)	337	(6.4%)	546
WHATCOM CO.	54	(1.3%)	152	(1.3%)	206	3	(1.5%)	79	(1.3%)	51	(1.3%)	73	(1.4%)	
Region 4 (King Co.)	2,758	(65.2%)	7,356	(63.9%)	10,114	111	(57.2%)	4,112	(65.5%)	2,647	(65.6%)	3,244	, ,	5,891
KING CO.	2,758	(65.2%)	7,356	(63.9%)	10,114	111	(57.2%)	4,112	(65.5%)	2,647	(65.6%)	3,244	(62.1%)	5,891
Region 5	485	(11.5%)	1,214	(10.5%)	1,699	29	(14.9%)	674	(10.7%)	456	(11.3%)	540	(10.3%)	996
KITSAP CO.	76	(1.8%)	208	(1.8%)	284	1	(0.5%)	116	(1.8%)	75	(1.9%)	92	(1.8%)	167
PIERCE CO.	409	(9.7%)	1,006	(8.7%)	1,415	28	(14.4%)	558	(8.9%)	381	(9.4%)	448	(8.6%)	829
Region 6	355	(8.4%)	958	(8.3%)	1,313	12	(6.2%)	482	(7.7%)	343	(8.5%)	476	(9.1%)	819
CLALLAM CO.	21	(0.5%)	55	(0.5%)	76	2	(1.0%)	31	(0.5%)	19	(0.5%)	24	(0.5%)	43
CLARK CO.	164	(3.9%)	415	(3.6%)	579	2	(1.0%)	213	(3.4%)	162	(4.0%)	202	(3.9%)	364
COWLITZ CO.	39	(0.9%)	90	(0.8%)	129	1	(0.5%)	51	(0.8%)	38	(0.9%)	39	(0.7%)	77
GRAYS HARBOR CO.	17	(0.4%)	58	(0.5%)	75	1	(0.5%)	32	(0.5%)	16	(0.4%)	26	(0.5%)	42
JEFFERSON CO.	10	(0.2%)	23	(0.2%)	33	2	(1.0%)	15	(0.2%)	8	(0.2%)	8	(0.2%)	16
LEWIS CO.	10	(0.2%)	41	(0.4%)	51 00	1	(0.5%)	25	(0.4%)	9	(0.2%)	16	(0.3%)	25 75
MASON CO.	22	(0.5%)	76	(0.7%)	98 36	0	0.0%	23	(0.4%)	22	(0.5%)	53	(1.0%)	75 15
PACIFIC CO.	9	(0.2%)	17	(0.1%) (0.1%)	26 7	1 0	(0.5%)	10 5	(0.2%)	8 0	(0.2%)	7 2	(0.1%)	15 2
SKAMANIA CO. THURSTON CO.	62	0.0% (1.5%)	7 174	(0.1%) (1.5%)	236	2	0.0% (1.0%)	5 77	(0.1%) (1.2%)	60	0.0% (1.5%)	97	0.0% (1.9%)	157
WAHKIAKUM CO.	1	0.0%	174	0.0%	236 3		0.0%	0	0.0%	1	0.0%	97	0.0%	
STATE TOTAL	4,227	(100.0%)	11,509	(100.0%)	15,736	194	(100.0%)	6,281	(100.0%)	4,033	(100.0%)	5,228	(100.0%)	9,261

### Notes:

Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

<sup>8</sup> County of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

# Washington State HIV/AIDS Surveillance Report - 07/31/2006 Washington State Department of Health

Table 6. HIV 1 CASES, YEAR OF DIAGNOSIS 3 BY GENDER, RACE/ETHNICITY 10, EXPOSURE CATEGORY 6, AND AIDSNET REGION OF RESIDENCE 9 AT DIAGNOSIS

	198	2-1989	199	1990-1997		1998 - Current⁵		ulative		2002	2	2003	2	2004	2005 5		2006 YTD⁵	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
Race/Ethnicity																		
White, not Hispanic	318	(86%)	955	(77%)	1,733	(66%)	3,006	(71%)	193	(64%)	210	(66%)	198	(62%)	242	(64%)	114	(64%)
Black, not Hispanic	33	(9%)	150	(12%)	446	(17%)	629	(15%)	65	(22%)	60	(19%)	60	(19%)	66	(17%)	24	(14%)
Hispanic (All Races)	9	(2%)	86 1	(7%)	264	(10%)	359	(8%)	25	(8%)	30	(9%)	34 0	(11%)	44	(12%)	22 0	(12%)
Asian/Pacific Islander Asian	0 2	0% (1%)	23	0% (2%)	5 76	0% (3%)	6 101	0% (2%)	0 7	0% (2%)	0 9	0% (3%)	11	0% (3%)	0 11	0% (3%)	6	0% (3%)
Hawaiian/Pacific Islander	1	0%	23	0%	8	0%	9	0%	0	0%	2	(1%)	0	0%	2	(1%)	2	(1%)
Native American/Alaskan	4	(1%)	16	(1%)	40	(2%)	60	(1%)	6	(2%)	5	(2%)	9	(3%)	4	(1%)	2	(1%)
Multi-race	0	0%	3	0%	17	(1%)	20	0%	4	(1%)	1	0%	6	(2%)	3	(1%)	2	(1%)
Unknown	2	(1%)	9	(1%)	26	(1%)	37	(1%)	2	(1%)	1	0%	3	(1%)	6	(2%)	5	(3%)
Total	369	(100%)	1,243	(100%)	2,615	(100%)	4,227	(100%)	302	(100%)	318	(100%)	321	(100%)	378	(100%)	177	(100%)
Gender																		
Male	338	(92%)	1,049	(84%)	2,226	(85%)	3,613	(85%)	258	(85%)	271	(85%)	274	(85%)	322	(85%)	146	(82%)
Female	31	(8%)	194	(16%)	389	(15%)	614	(15%)	44	(15%)	47	(15%)	47	(15%)	56	(15%)	31	(18%)
Total	369	(100%)	1,243	(100%)	2,615	(100%)	4,227	(100%)	302	(100%)	318	(100%)	321	(100%)	378	(100%)	177	(100%)
Exposure Category																		
Male/male sex (MSM)	256	(69%)	771	(62%)	1,634	(62%)	2,661	(63%)	196	(65%)	201	(63%)	193	(60%)	221	(58%)	109	(62%)
Injecting Drug Use (IDU)	36	(10%)	126	(10%)	213	(8%)	375	(9%)	25	(8%)	23	(7%)	27	(8%)	21	(6%)	17	(10%)
MSM and IDU	42	(11%)	98	(8%)	197	(8%)	337	(8%)	23	(8%)	22	(7%)	25	(8%)	38	(10%)	12	(7%)
Transfusion/Transplant Hemophilia	3	(1%) (2%)	6 3	0% 0%	9	0% 0%	18 11	0% 0%	1 0	0% 0%	0 0	0% 0%	2	(1%) 0%	3 0	(1%) 0%	0 0	0% 0%
Heterosexual Contact	11	(3%)	124	(10%)	282	(11%)	417	(10%)	38	(13%)	36	(11%)	34	(11%)	36	(10%)	15	(8%)
Mother at Risk for HIV	3	(1%)	22	(2%)	9	0%	34	(1%)	0	0%	1	0%	1	0%	0	0%	1	(1%)
No Identified Risk/Other	11	(3%)	93	(7%)	270	(10%)	374	(9%)	19	(6%)	35	(11%)	39	(12%)	59	(16%)	23	(13%)
Total	369	(100%)	1,243	(100%)	2,615	(100%)	4,227	(100%)	302	(100%)	318	(100%)	321	(100%)	378	(100%)	177	(100%)
AIDSNET Region																		
Region 1	19	(5%)	50	(4%)	102	(4%)	171	(4%)	14	(5%)	14	(4%)	17	(5%)	12	(3%)	5	(3%)
Region 2	9	(2%)	37	(3%)	88	(3%)	134	(3%)	13	(4%)	7	(2%)	8	(2%)	18	(5%)	3	(2%)
Region 3	29	(8%)	109	(9%)	186	(7%)	324	(8%)	14	(5%)	25	(8%)	24	(7%)	32	(8%)	13	(7%)
Region 4 (King Co.)	249	(67%)	782	(63%)	1,727	(66%)	2,758	(65%)	200	(66%)	204	(64%)	219	(68%)	230	(61%)	110	(62%)
Region 5 Region 6	34 29	(9%) (8%)	161 104	(13%) (8%)	290 222	(11%) (8%)	485 355	(11%) (8%)	37 24	(12%) (8%)	40 28	(13%) (9%)	22 31	(7%) (10%)	49 37	(13%) (10%)	24 22	(14%) (12%)
Total	369	(100%)	1.243	(100%)	2.615	(100%)	4.227	(100%)		(100%)	318	(100%)	321	(100%)	378	(100%)	177	(100%)
		(10070)	1,210	(10070)	_,0.0	( . 00 / 0/	1,	(10070)	002	( . 00 / 0)	0.0	(70070)	0_1	(70070)	0.0	( . 00 / 0)		(10070)

#### Notes

- 1 This includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. It does not include those who have only been tested anonymously for HIV.
- 3 Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health. Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

  5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.
- 6 <u>Heterosexual Contact</u> with a person who is known to be HIV infected or at increased risk for HIV infection. <u>No Identified Risk</u> includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.
- 9 AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.
- 10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

# Washington State HIV/AIDS Surveillance Report - 07/31/2006 Washington State Department of Health

Table 7. AIDS CASES, YEAR OF DIAGNOSIS BY GENDER, RACE/ETHNICITY , EXPOSURE CATEGORY , AND AIDSNET REGION OF RESIDENCE AT DIAGNOSIS

	198	1982-1989		1990-1997		1998 - Current⁵		ulative		2002	2	2003	2004		2005⁵		2006	YTD⁵
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
Race/Ethnicity																		
White, not Hispanic	1,710	(88%)	4,917	(79%)	2,225	(66%)	8,852	(77%)	266	(64%)	271	(64%)	269	(66%)	259	(63%)	107	(65%)
Black, not Hispanic	130	(7%)	606	(10%)	573	(17%)	1,309	(11%)	74	(18%)	68	(16%)	66	(16%)	75	(18%)	31	(19%)
Hispanic (All Races)	75	(4%)	417	(7%)	363	(11%)	855	(7%)	43	(10%)	54	(13%)	42	(10%)	43	(10%)	14	(8%)
Asian/Pacific Islander	3	0%	31	(1%)	11	0%	45	0%	3	(1%)	1	0%	0	0%	1	0%	0	0%
Asian	11	(1%)	68	(1%)	74	(2%)	153	(1%)	13	(3%)	9	(2%)	9	(2%)	18	(4%)	7	(4%)
Hawaiian/Pacific Islander	5	0%	9	0%	15	0%	29	0%	2	0%	5	(1%)	2	0%	1	0%	1	(1%)
Native American/Alaskan	16	(1%)	117	(2%)	80	(2%)	213	(2%)	11	(3%)	10	(2%)	10	(2%)	10	(2%)	3	(2%)
Multi-race	1 0	0% 0%	20 2	0% 0%	20 10	(1%) 0%	41 12	0% 0%	1	0% 0%	3 0	(1%) 0%	5 2	(1%)	5 0	(1%)	2	(1%)
Unknown	U	0%		0%	10	0%	12	0%	'	0%		0%		0%	0	0%	0	0%
Total	1,951	(100%)	6,187	(100%)	3,371	(100%)	11,509	(100%)	414	(100%)	421	(100%)	405	(100%)	412	(100%)	165	(100%)
<u>Gender</u>																		
Male	1,889	(97%)	5,694	(92%)	2,885	(86%)	10,468	(91%)	343	(83%)	354	(84%)	337	(83%)	357	(87%)	138	(84%)
Female	62	(3%)	493	(8%)	486	(14%)	1,041	(9%)	71	(17%)	67	(16%)	68	(17%)	55	(13%)	27	(16%)
Total	1,951	(100%)	6,187	(100%)	3,371	(100%)	11,509	(100%)	414	(100%)	421	(100%)	405	(100%)	412	(100%)	165	(100%)
Exposure Category																		
Male/male sex (MSM)	1,499	(77%)	4,225	(68%)	1,848	(55%)	7,572	(66%)	220	(53%)	236	(56%)	213	(53%)	220	(53%)	71	(43%)
Injecting Drug Use (IDU)	82	(4%)	575	(9%)	391	(12%)	1,048	(9%)	47	(11%)	45	(11%)	44	(11%)	46	(11%)	14	(8%)
MSM and IDU	234	(12%)	612	(10%)	301	(9%)	1,147	(10%)	37	(9%)	36	(9%)	33	(8%)	40	(10%)	21	(13%)
Transfusion/Transplant	47	(2%)	64	(1%)	15	0%	126	(1%)	1	0%	1	0%	3	(1%)	2	0%	1	(1%)
Hemophilia	30	(2%)	52	(1%)	9	0%	91	(1%)	0	0%	1	0%	1	0%	1	0%	0	0%
Heterosexual Contact	29	(1%)	372	(6%)	416	(12%)	817	(7%)	71	(17%)	55	(13%)	55	(14%)	54	(13%)	17	(10%)
Mother at Risk for HIV	8	0%	18	0%	3	0%	29	0%	0	0%	0	0%	0	0%	1	0%	0	0%
No Identified Risk/Other	22	(1%)	269	(4%)	388	(12%)	679	(6%)	38	(9%)	47	(11%)	56	(14%)	48	(12%)	41	(25%)
Total	1,951	(100%)	6,187	(100%)	3,371	(100%)	11,509	(100%)	414	(100%)	421	(100%)	405	(100%)	412	(100%)	165	(100%)
AIDSNET Region																		
Region 1	79	(4%)	343	(6%)	223	(7%)	645	(6%)	26	(6%)	27	(6%)	30	(7%)	30	(7%)	10	(6%)
Region 2	48	(2%)	191	(3%)	155	(5%)	394	(3%)	15	(4%)	20	(5%)	23	(6%)	20	(5%)	10	(6%)
Region 3	111	(6%)	514	(8%)	317	(9%)	942	(8%)	41	(10%)	36	(9%)	40	(10%)	57	(14%)	18	(11%)
Region 4 (King Co.)	1,434	(74%)	3,964	(64%)	1,958	(58%)	7,356	(64%)	246	(59%)	272	(65%)	225	(56%)	217	(53%)	96	(58%)
Region 5	171	(9%)	644	(10%)	399	(12%)	1,214	(11%)	37	(9%)	39	(9%)	45	(11%)	43	(10%)	16	(10%)
Region 6	108	(6%)	531	(9%)	319	(9%)	958	(8%)	49	(12%)	27	(6%)	42	(10%)	45	(11%)	15	(9%)
Total	1,951	(100%)	6,187	(100%)	3,371	(100%)	11,509	(100%)	414	(100%)	421	(100%)	405	(100%)	412	(100%)	165	(100%)

#### Notes

<sup>3</sup> Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health. Reporting delay is the per between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

<sup>5</sup> Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

<sup>6</sup> Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection. No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

<sup>9</sup> AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

<sup>10</sup> Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category.